

適用於由2009年8月1日至2010年7月31日期間的工商業污水附加費收費率矩陣

		0	100	130	160	200	250	320	400	500	630	790	1000	1260	1580	2000		
化學需氧量 (沉澱) (克/立方米)	2000	\$4.13																2000
	1580	\$3.08	\$3.08	\$3.08	\$3.12	\$3.34	\$3.60	\$3.96	\$4.39									1580
	1260	\$2.27	\$2.27	\$2.27	\$2.33	\$2.53	\$2.80	\$3.17	\$3.59	\$4.12	\$4.79							1260
	1000	\$1.63	\$1.63	\$1.63	\$1.68	\$1.89	\$2.15	\$2.52	\$2.94	\$3.46	\$4.15	\$4.99	\$6.09					1000
	790	\$1.10	\$1.10	\$1.10	\$1.16	\$1.37	\$1.63	\$2.00	\$2.41	\$2.94	\$3.63	\$4.47	\$5.57					790
	630	\$0.70	\$0.70	\$0.70	\$0.75	\$0.96	\$1.22	\$1.59	\$2.01	\$2.53	\$3.22	\$4.06	\$5.17	\$6.53				630
	500	\$0.37	\$0.37	\$0.37	\$0.43	\$0.63	\$0.90	\$1.27	\$1.69	\$2.22	\$2.89	\$3.73	\$4.84	\$6.20				500
	400	\$0.12	\$0.12	\$0.12	\$0.17	\$0.39	\$0.66	\$1.02	\$1.44	\$1.97	\$2.64	\$3.48	\$4.59	\$5.95	\$7.63			400
	320	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51			320
	250	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51			250
	200	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51			200
	160	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51			160
	130	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51			130
100	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51			100	
0	\$0.00	\$0.00	\$0.00	\$0.05	\$0.26	\$0.52	\$0.90	\$1.31	\$1.83	\$2.52	\$3.36	\$4.47	\$5.83	\$7.51	\$9.72		0	
		0	100	130	160	200	250	320	400	500	630	790	1000	1260	1580	2000		

化學需氧量(總數)與化學需氧量(沉澱)的差值 (克/立方米)