

適用於2010年8月1日或以後工商業污水附加費收費率矩陣

		0	100	130	160	200	250	320	400	500	630	790	1000	1260	1580	2000			
化學需氧量 (沉澱) (克/立方米)	2000	\$4.51																2000	
	1580	\$3.36	\$3.36	\$3.36	\$3.41	\$3.65	\$3.94	\$4.33	\$4.79										1580
	1260	\$2.48	\$2.48	\$2.48	\$2.54	\$2.77	\$3.05	\$3.46	\$3.92	\$4.50	\$5.23								1260
	1000	\$1.78	\$1.78	\$1.78	\$1.84	\$2.06	\$2.35	\$2.75	\$3.21	\$3.78	\$4.53	\$5.45	\$6.65						1000
	790	\$1.20	\$1.20	\$1.20	\$1.26	\$1.49	\$1.78	\$2.18	\$2.64	\$3.21	\$3.96	\$4.88	\$6.08						790
	630	\$0.76	\$0.76	\$0.76	\$0.82	\$1.05	\$1.34	\$1.74	\$2.19	\$2.77	\$3.52	\$4.44	\$5.64	\$7.13					630
	500	\$0.41	\$0.41	\$0.41	\$0.47	\$0.69	\$0.98	\$1.38	\$1.85	\$2.42	\$3.16	\$4.08	\$5.28	\$6.77					500
	400	\$0.13	\$0.13	\$0.13	\$0.19	\$0.43	\$0.72	\$1.11	\$1.57	\$2.15	\$2.89	\$3.80	\$5.01	\$6.50	\$8.34				400
	320	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20				320
	250	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20				250
	200	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20				200
	160	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20				160
	130	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20				130
	100	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20				100
	0	\$0.00	\$0.00	\$0.00	\$0.06	\$0.29	\$0.57	\$0.98	\$1.43	\$2.00	\$2.75	\$3.67	\$4.88	\$6.37	\$8.20	\$10.61			0
			0	100	130	160	200	250	320	400	500	630	790	1000	1260	1580	2000		

化學需氧量(總數)與化學需氧量(沉澱)的差值 (克/立方米)