

Replicate No. at Each Station	Batch No.	Phylum	Class	Order	Family	Scientific Name	Quantity	Weight (g)	Average Weight (g)
3-A	7565-17	none							
3-B	7565-18	Mollusca	Bivalvia	Veneroida	Veneridae	<i>Ruditapes philippinarum</i>	3	3.9726	1.3242
3-C	7565-19	Mollusca	Bivalvia	Veneroida	Veneridae	<i>Ruditapes philippinarum</i>	2	3.3450	1.6725
		Mollusca	Gastropoda	Sorbeoconcha	Nassariidae	<i>Nassarius dorsatus</i>	1	1.1690	1.1690
		Annelida	Polychaeta	Eunicida	Eunicidae	<i>Eunice indica</i>	2	0.0184	0.0092
		Annelida	Polychaeta	Phyllodocida	Glyceridae	<i>Glycera onomichiensis</i>	2	0.0500	0.0250
3-D	7565-20	Annelida	Polychaeta	Capitellida	Capitellidae	<i>Mediomastus californiensis</i>	2	0.0090	0.0045
3-E	7565-21	none							
3-F	7565-22	none							
3-G	7565-23	Mollusca	Bivalvia	Veneroida	Veneridae	<i>Ruditapes philippinarum</i>	10	24.1966	2.4197
3-H	7565-24	none							

Sediment Size Distribution

Parameters		Station 3
Size Spectrum (Percentage of sand/silt/clay)	Size Spectrum (>2000 μ m), %	0.3~0.8
	Size Spectrum (63-2000 μ m), %	7.4~9.3
	Size Spectrum (<63 μ m), %	90~92

Remarks:

1. Analytical Method - GEOSPEC 3:2001 Test 8.1