

Benthic Survey Results

Site	Phylum	Class	Order	Family	Scientific Name	Weight(g)	Quantity	Average Weight(g)
SS4-A	None							
SS4-B	Annelida	Polychaeta	Aciculata	Phyllodocidae	<i>Nephtys ciliata</i>	0.0576	1	0.0576
	Annelida	Polychaeta	Aciculata	Phyllodocidae	<i>Eteone</i> spp.	0.0108	3	0.0036
SS4-C	Annelida	Polychaeta	Phyllodocida	Nereididae	<i>Nereis succinea</i>	0.0907	1	0.0907
SS4-D	Annelida	Polychaeta	Eunicida	Lumbrineridae	<i>Lumbrineris</i> spp.	0.0066	1	0.0066
SS4-E	Annelida	Polychaeta	Scolecida	Capitellidae	<i>Mediomastus californiensis</i>	0.0044	1	0.0044
SS4-F	Annelida	Polychaeta	Canalipalpata	Terebellidae	<i>Loimia medusa</i>	0.0096	1	0.0096
	Annelida	Polychaeta	Phyllodocida	Nereididae	<i>Nereis succinea</i>	0.0039	2	0.0020
SS4-G	Annelida	Polychaeta	Phyllodocida	Nereididae	<i>Nereis succinea</i>	0.1322	1	0.1322
SS4-H	Annelida	Polychaeta	Canalipalpata	Spionidae	<i>Minuspio cirrifera</i>	0.0120	1	0.0120

Sediment Size Distribution

		Feb-10 Range
Parameter		Station SS4
Size Spectrum (Percentage of sand/silt/clay)	Size Spectrum (>2000mm), %	0.6~1.1
	Size Spectrum (63-2000mm), %	5.1~8.1
	Size Spectrum (<63mm), %	91~94