

Benthic Survey Results

Site	Phylum	Class	Order	Family	Scientific Name	Weight(g)	Quantity	Avg Weight(g)
3A	-	-	-	-	-	-	-	
3B	-	-	-	-	-	-	-	
3C	-	-	-	-	-	-	-	
3D	-	-	-	-	-	-	-	
3E	Annelida	Polychaeta	Canalipalpata	Terebellidae	<i>Loimia medusa</i>	0.618	1	0.618
3F	Annelida	Polychaeta	Canalipalpata	Cirratulidae	<i>Chaetozone spp.</i>	0.6298	1	0.6298
	Annelida	Polychaeta	Aciculata	Eunicidae	<i>Eunice indica</i>	0.9173	1	0.9173
3G	Annelida	Polychaeta	Eunicida	Lumbrineridae	<i>Lumbrineris spp.</i>	0.0041	1	0.0041
3H	Annelida	Polychaeta	Cossurida	Cossuridae	<i>Cossurella spp.</i>	0.0061	1	0.0061
	Annelida	Polychaeta	Scolecida	Maldanidae	<i>Praxillela spp.</i>	0.0035	1	0.0035

Sediment Size Distribution

Parameter	Station3	
Size Spectrum (Percentage of sand/silt/clay)	Size Spectrum (>2000µm), %	<0.1~3.1
	Size Spectrum (63-2000µm), %	34~35
	Size Spectrum (<63µm), %	63~66