

Results of Benthic Survey of September 2011

Site	Phylum	Class	Order	Family	Scientific Name	Quantity	Weight (g)	Average weight (g)
1A	Annelida	Polychaeta	Canalipalpata	Cirratulidae	<i>Chaetozone</i> spp.	1	0.006	0.0060
	Annelida	Polychaeta	Phyllodocida	Glyceridae	<i>Glycera onomichiensis</i>	2	0.1059	0.0530
1B	Annelida	Polychaeta	Scolecida	Paraonidae	<i>Paradoneis</i> spp.	4	0.0223	0.0056
1C	Annelida	Polychaeta	Phyllodocida	Nereididae	<i>Nereis succinea</i>	1	0.0046	0.0046
	Annelida	Polychaeta	Scolecida	Maldanidae	<i>Praxillela</i> spp.	1	0.0006	0.0006
1D	Annelida	Polychaeta	Phyllodocida	Glyceridae	<i>Glycera onomichiensis</i>	3	0.0384	0.0128
	Annelida	Polychaeta	Orbiniida	Orbiniidae	<i>Scoloplos armiger</i>	3	0.0092	0.0031
1E	Annelida	Polychaeta	Scolecida	Capitellidae	<i>Mediomastus californiensis</i>	1	0.0006	0.0006
	Annelida	Polychaeta	Scolecida	Paraonidae	<i>Paradoneis</i> spp.	2	0.0016	0.0008
1F	Annelida	Polychaeta	Phyllodocida	Nereididae	<i>Tylorrhynchus heterochaetus</i>	3	0.1149	0.0383
	Annelida	Polychaeta	Scolecida	Paraonidae	<i>Paradoneis</i> spp.	6	0.0128	0.0021
1G	None	--	--	--	--	--	--	--
1H	Mollusca	Gastropoda	Neogastropoda	Nassariidae	<i>Nassarius siquijorensis</i>	1	0.1110	0.1110

Sediment Size Distribution

Parameter	Range	
	Station 1	
Size Spectrum (Percentage of sand/silt/clay)	Size Spectrum (>2000µm), %	0.6
	Size Spectrum (63-2000µm), %	14~15
	Size Spectrum (<63µm), %	85~86