Sampling Date 22-Oct-13

Monitoring Location	Time	Water Depth	Sampling Depth (m)	E.coli (CFU/100mL)		Temperature (°C)		Salinity (ppt)		pH		DO (mg/L)		DOS (%)		Turbidity (NTU)		TRC (mg/L)	
1	11:45	10.2	1.0	2		27.3	27.3	30.7	30.7	8.0	8.0	5.9	5.9	89.1	89.1	5.1	5.1	0.02	0.02
			5.1	13		27.0	27.0	30.6	30.6	8.0	8.0	5.8	5.8	85.7	85.7	5.2	5.2	0.02	0.02
			9.2	130		26.8	26.8	30.9	30.9	8.0	8.0	5.0	5.0	74.5	74.5	6.5	6.5	0.02	0.02
2	12:05	13.8	1.0	870		27.0	27.0	30.5	30.5	7.9	7.9	4.9	4.9	72.1	72.1	8.0	8.0	0.02	0.02
			6.9	1000		26.8	26.8	30.7	30.7	8.0	8.0	5.2	5.2	77.7	77.7	6.3	6.3	0.02	0.02
			12.8	1400		26.9	26.9	30.9	30.9	8.0	8.0	4.6	4.6	68.0	68.0	10.2	10.2	0.02	0.02
3	12:30	14.5	1.0	720		26.9	26.9	30.6	30.6	7.9	7.9	4.8	4.8	71.8	71.8	8.9	8.9	0.01	0.01
			7.3	940		26.9	26.9	30.8	30.8	8.0	8.0	4.8	4.8	71.4	71.4	6.5	6.5	0.01	0.01
			13.5	1400		26.9	26.9	30.9	30.9	7.9	7.9	4.6	4.6	69.0	69.0	7.1	7.1	0.01	0.01
4	12:51	10.5	1.0	480		27.1	27.1	30.6	30.6	8.0	8.0	5.3	5.3	79.2	79.2	4.8	4.8	0.01	0.01
			5.3	730		27.1	27.1	30.9	30.9	7.9	7.9	4.7	4.7	70.8	70.8	4.1	4.1	0.01	0.01
			9.5	1400		26.9	26.9	31.0	31.0	7.9	7.9	4.4	4.4	65.4	65.4	7.3	7.3	0.01	0.01
SM6	9:41	15.1	1.0	ND		26.7	26.7	31.6	31.6	8.1	8.1	6.1	6.1	90.2	90.2	3.7	3.7	0.01	0.01
			7.6	ND		26.7	26.7	31.6	31.6	8.1	8.1	6.1	6.1	90.3	90.3	3.8	3.8	0.01	0.01
			14.1	1		26.6	26.6	31.6	31.6	8.1	8.1	6.1	6.1	90.2	90.2	9.5	9.5	0.01	0.01
SM12	10:30	8.0	1.0	4		26.8	26.8	31.2	31.2	8.0	8.0	6.3	6.3	93.4	93.4	7.5	7.5	0.04	0.04
			4.0	ND		26.8	26.8	31.0	31.0	8.0	8.0	6.2	6.2	92.0	92.0	7.9	7.9	0.04	0.04
			7.0	ND		26.8	26.8	31.0	31.0	8.0	8.0	6.1	6.1	91.0	91.0	9.7	9.7	0.04	0.04

Monitoring Location	Time	Water Depth	Sampling Depth (m)	Bromoform (µg/L)		Bromodichloromethane (µg/L)		Chloroform (µg/L)		Dibromochloromethane (µg/L)		Bromacetic acid (µg/L)		Chloroacetic acid (µg/L)		Dibromoacetic acid (µg/L)		Dichloroacetic acid (µg/L)		Trichloroacetic acid (µg/L)	
1	11:45	10.2	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			5.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			9.2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
2	12:05	13.8	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			6.9	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			12.8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
3	12:30	14.5	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			7.3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			13.5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
4	12:51	10.5	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			5.3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			9.5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
SM6	9:41	15.1	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			7.6	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			14.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
SM12	10:30	8.0	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			4.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1
			7.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1

Monitoring Location	Time	Water Depth	Sampling Depth (m)	Methylene chloride (µg/L)		Carbon tetrachloride (µg/L)		Carbon tetrachloride (µg/L)		1,1-dichloroethane (µg/L)		1,2-dichloroethane (µg/L)		1,1,-dichloroethylene (µg/L)		1,2-dichloropropane (µg/L)		Tetrachloroethylene (µg/L)		1,1,1-trichloroethane (µg/L)		1,1,2-trichloroethane (µg/L)		Trichloroethylene (µg/L)		2-chlorophenol (µg/L)		2,4-dichlorophenol (µg/L)		p-chloro-m-cresol (µg/L)		Pentachlorophenol (µg/L)		2,4,6-trichlorophenol (µg/L)		Bis(2-chloroethoxy) methane (µg/L)		1,4-dichlorobenzene (µg/L)		Hexachlorobenzene (µg/L)		Hexachlorocyclopentadiene (µg/L)		Hexachloroethane (µg/L)		1,2,4-trichlorobenzene (µg/L)		Alpha-BHC (µg/L)		Beta-BHC (µg/L)		Gamma-BHC (µg/L)	
1	11:45	10.2	1.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			5.1	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			9.2	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
2	12:05	13.8	1.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			6.9	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			12.8	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
3	12:30	14.5	1.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			7.3	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			13.5	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
4	12:51	10.5	1.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			5.3	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			9.5	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
SM6	9:41	15.1	1.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			7.6	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			14.1	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
SM12	10:30	8.0	1.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			4.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
			7.0	<20	<20	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1