

# Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

# Provision of Effluent Quality Monitoring (EQM) Services Report for the Month of Aug 2018

Contract No.		DE/2016/12
Contract 110.	•	DL/2010/12

Applicant : SEWAGE TREATMENT DIVISION 2

ELECTRICAL AND MECHANICAL BRANCH DRAINAGE SERVICES DEPARTMENT

Address : STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,

NGONG SHUNG ROAD, NGONG SHUEN CHAU,

KOWLOON, HONG KONG

Application Number : LW026851(0)

Report Number : AW0056033(6)

Report Issued Date : 31 Jan 2019

For and on behalf of

CMA Industrial Development Foundation Limited

Authorized Signature :

Senior Manager Environmental Division

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatcl.com
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

# TABLE OF CONTENT

1.	Introduction	2		
2.	Effluent Quality Monitoring	3 – 4		
3.	Results and Observations			
App	pendix Appendix I – Report for Laboratory Test(s)			

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatcl.com">www.cmatcl.com</a>
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

### **EXECUTIVE SUMMARY**

- 1. This is the water quality monitoring report prepared by CMA Testing and Certification Laboratory (CMA Testing) for Contract No. DE/2016/12 "Term Contract for Provision of Sampling and analysing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2017-2019)". This report documented the results and findings of Operation Phase Environmental Monitoring works conducted for Effluent Quality Monitoring of Project in Aug 2018.
- 2. In accordance with the Final EM&A Manual, environmental monitoring has been conducted in the reporting month with a Quarterly Basis for various parameters as summarized in **Table I**.

Table I Summary Table for Environmental Monitoring Works Conducted in the Reporting Month

Monitoring Parameters	Monitoring Date	<b>Laboratory Testing Parameters</b>		
Effluent Quality	28 Aug 2018 to 29 Aug 2018	Total Residual Chlorine (TRC) Chlorination by-products (CBPs) and Contaminants of Concern (COCs)		



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

### 1. INTRODUCTION

- 1.1. CMA Testing was commissioned by Drainage Services Department (DSD) to undertake the operation phase environmental monitoring for Advance Disinfection Facilities (ADF) at Stonecutters Island Sewage Treatment Works (SCISTW) (thereafter called the "the Services").
- 1.2. The operation phase monitoring, which include effluent quality monitoring, marine water quality monitoring and emergency discharge monitoring, is to monitor the effluent and marine water quality impact of ADF during its operation phase.
- 1.3. This is the water quality monitoring report prepared by CMA Testing that documented the results and findings of Operation Phase Water Quality Monitoring works conducted for Effluent Quality Monitoring (EQM) of Project on 28 Aug 2018 to 29 Aug 2018.



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

## 2. EFFLUENT QUALITY MONITORING

### **Monitoring Requirements**

- 2.1. Effluent samples were collected at Disinfection Facilities in a full 24-hour period. 24-hour flow weighted composite effluent samples for subsequent chemical analysis and testing were prepared by CMA according to the following procedures:
  - Collect effluent sub-sample by direct grab sampling method at bi-hourly interval over a 24 hour period;
  - Obtain flow record of Stonecutters Island Sewage Treatment Works (SCISTW) for the 24-hour sampling period;
  - Calculate the volume of each sub-sample for preparation the bi-hourly of 24 hour flow-weighted composite samples; and
  - Transfer the appropriate the volume of sub-samples to a clean container and mix thoroughly.
- 2.2. Bi-hourly of 24-hour composite sample for Total Residual Chloride (TRC), Chlorination By-Products (CBPs) and Contaminants of Concern (COCs) tests shall be performed quarterly throughout the contract period.

### **Monitoring Location**

2.3. The sampling locations for effluent from SCISTW were collected at the Disinfection Facilities

### **Monitoring Schedule**

2.4. The effluent quality monitoring was conducted between the time periods of 10:00am 28 Aug 2018 to 10:00am of 29 Aug 2018 in the reporting month. Collection of marine water samples were within the time period of effluent quality monitoring was to be collected.

### **Laboratory Measurement / Analysis**

2.5. In the reporting month, the bi-hourly of 24-hour flow-weighted composite effluent sample was collected for subsequent laboratory analysis and testing on TRC, CBPs and COCs as shown in **Table 2.1.** 

3



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

Table 2.1 Analytical Methods for Laboratory Analysis for Effluent Samples

Parameters	S	Analytical Method	Limit of Reporting (µg/L)			
TRC and Potential CBPs						
Total residual Chlorine		APHA 21ed 4500 Cl G	10			
Bromoform	TD :		0.1			
Bromodichloromethane	Tri- halomethanes (THMs)	TG-ENV-WW-78	0.1			
Chloroform		(Headspace GC-MS)	0.1			
Dibromochloromethane	(Trivis)		5			
Bromoacetic acid			2			
Chloroacetic acid	TT-1		2			
Dibromoacetic acid	Haloacetic	TG-ENV-WW-79	2			
Dichloroacetic acid	Acids (HAAs)	(GC-ECD)	2			
Trichloroacetic acid			2			
	Contaminants	s of Concern (COCs)	•			
Methylene chloride	Halogenated	, , ,	20			
Carbon tetrachloride	Aliphatics		0.5			
1,1-dichloroethane			0.5			
1,2-dichloroethane			0.5			
1,1-dichloroethylene		TG-ENV-WW-78	0.5			
1,2-dichloropropane		(Headspace GC-MS)	0.5			
Tetrachloroethylene		,	0.5			
1,1,1-trichloroethane	Halogenated		0.5			
1,1,2-trichloroethane	Aliphatics		0.5			
Trichloroethylene			0.5			
2-chlorophenol			0.5			
2,4-dichlorophenol			0.5			
p-chloro-m-cresol	Dhanala	TO ENN WWW 90	0.5			
Pentachlorophenol	Phenols & Haloethers	TG-ENV-WW-80	0.5			
2,4,6-trichlorophenol	& Haloethers	(GC-MS)	0.5			
Bis(2-chloroethoxy)			0.5			
methane			0.3			
Chlorobenzene		TG-ENV-WW-78	0.5			
1,4-dichlorobenzene		(Headspace GC-MS)	0.5			
Hexachlorobenzene	Chlorinated		0.01			
Hexachlorocyclopentadiene	Hydrocarbons		2.5			
Hexachloroethane	&		0.5			
1,2,4-trichlorobenzene	Organochlorine	USEPA 625	0.5			
Alpha-BHC	Pesticides		0.01			
Beta-BHC			0.01			
Gamma-BHC			0.01			

4

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatcl.com">www.cmatcl.com</a>
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

## 3. RESULTS AND OBSERVATIONS

### **Effluent Quality**

3.1. The results of effluent quality monitoring conducted on the time period of 10:00am 28 Aug 2018 to 10:00am of 29 Aug 2018, whereas the laboratory testing and QC report are shown in **Appendix I-Report no. AW0056032(5).** 



廠商會檢定中心

Report No.: AW0056033(6)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

Appendix I - Report for Laboratory Test(s)



# **TEST REPORT**

Report No. : AW0056032(5) Date: 31 Jan 2019

Application No. : LW026851(0)

Applicant : SEWAGE TREATMENT DIVISION 2

ELECTRICAL AND MECHANICAL BRANCH

DRAINAGE SERVICES DEPARTMENT

STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,

NGONG SHUNG ROAD, NGONG SHUEN CHAU,

KOWLOON, HONG KONG

Contract No. : DE/2016/12

Project Name : Term Contract for Provision of Sampling and Analyzing of

Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and

Outlying Islands to the Drainage Services Department

Sample Description : One (1) wastewater sample sampled by the staff of CMA Industrial

Development Foundation Limited.

Sample was refrigerated during delivery.

Sample ID : Refer to Sample ID on page 4.

Sampling Location : SCISTW- Disinfection Facilities

Sampling Date : 28 Aug 2018 to 29 Aug 2018.

Date Received : 29 Aug 2018.

Test Period : 29 Aug 2018 to 28 Sep 2018.

For and on behalf of

CMA Industrial Development Foundation Limited

Page 1 of 5

Authorized Signature:

Senior Manager Environmental Division

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatcl.com
This document shall not be reproduced except in full or with written approval by CMA Testing



廠商會檢定中心

# **TEST REPORT**

Report No. AW0056032(5) Date: 31 Jan 2019

Application No. LW026851(0)

Test Requested **Total Residual Chlorine** 

Bromoform

3. Bromodichloromethane

4. Chloroform

5. Dibromochloromethane

6. Bromoacetic acid

7. Chloroacetic acid

8. Dibromoacetic acid

9. Dichloroacetic acid

10. Trichloroacetic acid

11. Methylene chloride

12. Carbon tetrachloride

13. 1,1-dichloroethane

14. 1,2-dichloroethane

15. 1,1-dichloroethylene

16. 1,2-dichloropropane 17. Tetrachloroethlyene

18. 1,1,1-trichloroethane

19. 1,1,2-trichloroethane

20. Trichloroethylene 21. 2-chlorophenol

22. 2,4-dichlorophenol

23. p-chloro-m-cresol

24. Pentachlorophenol 25. 2,4,6-trichlorophenol

26. Bis(2-chloroethoxy) methane

27. Chlorobenzene

28. 1.4-dichlorobenzene

29. Hexachlorobenzene

30. Hexachlorocyclopentadiene

31. Hexachloroethane

32. 1,2,4-trichlorobenzene

33. Alpha-BHC

34. Beta-BHC

35. Gamma-BHC



廠商會檢定中心

# TEST REPORT

Report No. AW0056032(5) Date: 31 Jan 2019

Application No. LW026851(0)

Test Method APHA 21ed Cl G

> 2. TG-ENV-WW-78 (Headspace GC-MS)

> 3. TG-ENV-WW-78 (Headspace GC-MS)

> 4. TG-ENV-WW-78 (Headspace GC-MS)

> TG-ENV-WW-78 (Headspace GC-MS) 5.

TG-ENV-WW-79 (GC-ECD)

TG-ENV-WW-79 (GC-ECD) 7.

8. TG-ENV-WW-79 (GC-ECD)

TG-ENV-WW-79 (GC-ECD) 9. 10. TG-ENV-WW-79 (GC-ECD)

11. TG-ENV-WW-78 (Headspace GC-MS)

TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)

20. TG-ENV-WW-78 (Headspace GC-MS)

21. TG-ENV-WW-80 (GC-MS)

22. TG-ENV-WW-80 (GC-MS)

23. TG-ENV-WW-80 (GC-MS)

24. TG-ENV-WW-80 (GC-MS) 25. TG-ENV-WW-80 (GC-MS)

26. TG-ENV-WW-80 (GC-MS)

27. TG-ENV-WW-78 (Headspace GC-MS)

28. TG-ENV-WW-78 (Headspace GC-MS)

29. USEPA 625

30. USEPA 625

31. USEPA 625

32. USEPA 625

33. USEPA 625

34. USEPA 625

35. USEPA 625

Test Result Refer to results on page 4.



廠商會檢定中心

# **TEST REPORT**

Report No. : AW0056032(5) Date: 31 Jan 2019

Application No. : LW026851(0)

# **Effluent Water Quality**

Application No:.	LW026851		
Sampling Date	28-Aug-18 to 29-Aug-18		
Monitoring Location	Chamber 15A		
Parameter	Results (mg/L)		
Total Residual Chlorine	<0.01		
Parameter	Results (µg/L)		
Bromoform	1.5		
Bromodichloromethane	0.8		
Chloroform	7.9		
Dibromochloromethane	<5		
Bromoacetic acid	<2		
Chloroacetic acid	<2		
Dibromoacetic acid	4.5		
Dichloroacetic acid	15.2		
Trichloroacetic acid	9.8		
Parameter	Results (µg/L)		
Methylene chloride	<50		
Carbon tetrachloride	< 0.5		
1,1-dichloroethane	< 0.5		
1,2-dichloroethane	< 0.5		
1,1- dichloroethylene	< 0.5		
1,2-dichloropropane	< 0.5		
Tetrachloroethylene	1.5		
1,1,1-trichloroethane	< 0.5		
1,1,2-trichloroethane	< 0.5		
Trichloroethylene	1.3		
2-chlorophenol	< 0.5		
2,4-dichlorophenol	< 0.5		
p-chloro-m-cresol	< 0.5		
Pentachlorophenol	< 0.5		
2,4,6-trichlorophenol	< 0.5		
Bis(2-chloroethoxy) methane	< 0.5		
Chlorobenzene	< 0.5		
1,4-dichlorobenzene	< 0.5		
Hexachlorobenzene	< 0.01		
Hexachlorocyclopentadiene	<2.5		
Hexachloroethane	< 0.5		
1,2,4-trichlorobenzene	< 0.5		
Alpha-BHC	< 0.01		
Beta-BHC	< 0.01		
Gamma-BHC	< 0.01		

# This document is issued subject to the latest CMA Testi. This document shall not be reproduced except in full or

# **TEST REPORT**

Report No. : AW0056032(5) Date: 9 Oct 2018

Application No. : LW026851(0)

**QC** Report

Sampling Date 28-Aug-18 to 29-Aug-18

Parameter	Method Blank	Acceptance Criteria	QC Recoery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
rarameter	(μg/L)	(μg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Bromoform	< 0.02	< 0.02	96	80-120	87	70-130	8	≤20
Bromodichloromethane	< 0.02	< 0.02	98	80-120	95	70-130	6	≤20
Chloroform	< 0.02	< 0.02	103	80-120	93	70-130	8	≤20
Dibromochloromethane	<1	<1	108	80-120	106	70-130	8	≤20
Bromoacetic acid	< 0.4	< 0.4	112	80-120	106	70-130	7	≤20
Chloroacetic acid	< 0.4	< 0.4	95	80-120	108	70-130	9	≤20
Dibromoacetic acid	< 0.4	< 0.4	91	80-120	116	70-130	4	≤20
Dichloroacetic acid	< 0.4	< 0.4	83	80-120	85	70-130	5	≤20
Trichloroacetic acid	< 0.4	< 0.4	98	80-120	94	70-130	2	≤20
Parameter	(µg/L)	(µg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Methylene chloride	<4	<4	96	80-120	87	70-130	6	≤20
Carbon tetrachloride	< 0.1	< 0.1	103	80-120	91	70-130	8	≤20
1,1-dichloroethane	< 0.1	< 0.1	108	80-120	93	70-130	7	≤20
1,2-dichloroethane	< 0.1	< 0.1	97	80-120	104	70-130	7	≤20
1,1-dichloroethylene	< 0.1	< 0.1	93	80-120	108	70-130	7	≤20
1,2-dichloropropane	< 0.1	< 0.1	101	80-120	95	70-130	6	≤20
Tetrachloroethylene	< 0.1	< 0.1	106	80-120	92	70-130	9	≤20
1,1,1-trichloroethane	< 0.1	< 0.1	112	80-120	98	70-130	8	≤20
1,1,2-trichloroethane	< 0.1	< 0.1	94	80-120	94	70-130	4	≤20
Trichloroethylene	< 0.1	< 0.1	90	80-120	103	70-130	3	≤20
2-chlorophenol	< 0.1	< 0.1	90	80-120	106	70-130	6	≤20
2,4-dichlorophenol	< 0.1	< 0.1	93	80-120	107	70-130	7	≤20
p-chloro-m-cresol	< 0.1	< 0.1	104	80-120	107	70-130	5	≤20
Pentachlorophenol	< 0.1	< 0.1	97	80-120	98	70-130	4	≤20
2,4,6-trichlorophenol	< 0.1	< 0.1	102	80-120	94	70-130	4	≤20
Bis(2-chloroethoxy) methane	< 0.1	< 0.1	102	80-120	96	70-130	9	≤20
Chlorobenzene	< 0.1	< 0.1	97	80-120	94	70-130	10	≤20
1,4-dichlorobenzene	< 0.1	< 0.1	91	80-120	97	70-130	6	≤20
Hexachlorobenzene	< 0.005	< 0.005	95	80-120	104	70-130	5	≤20
Hexachlorocyclopentadiene	< 0.5	< 0.5	87	80-120	93	70-130	7	≤20
Hexachloroethane	< 0.1	< 0.1	103	80-120	92	70-130	4	≤20
1,2,4-trichlorobenzene	< 0.1	< 0.1	84	80-120	113	70-130	2	≤20
Alpha-BHC	< 0.005	< 0.005	98	80-120	86	70-130	8	≤20
Beta-BHC	< 0.005	< 0.005	95	80-120	95	70-130	3	≤20
Gamma-BHC	< 0.005	< 0.005	104	80-120	92	70-130	3	≤20

\*\*\*\*\* End of Report \*\*\*\*\*



CMA lesting and Certificatio Laboratories 廠商會檢定中心