Asset Management of Drainage Facilities Using Advanced Technologies

Albert T. Yeung, BSc(Eng)(Hon) MS PhD FHKIE FICE FASCE RPE(Civ, Env, Gel) CEng PE **Department of Civil Engineering** University of Hong Kong 格明 E-mail: yeungat@hku.hk

13th November 2014





DSD International Conference 2014

Sustainable Stormwater and Wastewater Management









For a Better Quality of Life

<u>Asian Civil Engineering Coordinating</u> <u>Council</u>



For a Better Quality of Life


- American Society of Civil Engineers (ASCE)
- Chinese Institute of Civil and Hydraulic Engineering (CICHE)
- Engineers Australia (EA)
- Indonesian Society of Civil and Structural Engineers (HAKI)
- Institution of Civil Engineers, India (ICE India)
- Institution of Engineers, Bangladesh (IEB)
- Institution of Engineers, Pakistan (IEP)
- Japan Society of Civil Engineers (JSCE)
- Korean Society of Civil Engineers (KSCE)
- Mongolian Association of Civil Engineers (MACE)
- Philippine Institute of Civil Engineers (PICE)
- Vietnam Federation of Civil Engineering Associations (VFCEA)



Immediate Past Director of Region 10 Chair of Region 10 Assembly

Sustainability

ASCE Region 10






2013 REPORT CARD FOR AMERICA'S INFRASTRUCTURE




Infrastructure Condition Curve




Years of service


Asset Management

 To derive the best performance from an asset at the lowest cost from acquisition to disposal




Asset Management





Data-centered Approach




Data Management

- Accuracy
- Strategic & representative locations
- Up-to-date
- Inter-active
- Accountability
- Sustainability

Why uses IT?

- o Accuracy
- Objective
- Efficiency
- Consistency
- Free of human errors
- Prevention of loss of data
- Compliance
- o Convenience



Uses of IT in Asset Management

- Automatic and continuous collection of data
- Effective management of data
- Quality control and assurance of data
- Pro-active control of indoor air quality


Gas Management (CO & CO₂)

- Compliance of statutory requirements: sensing methods, automatic and continuous
- Integrated CO & CO₂ sensors
- Real-time collection of data
- Real-time wireless transmission of data
- Web-based and real-time processing and recording of data
- Prevention of tempering of data
- Real-time publication of data

Collection of Data

- Integrated sensor for CO and CO₂
- Sensor is powered by battery
- In-situ calibration is not necessary
- Sensors for different types of gases, TVOC, PM₁₀, PM_{2.5} and other chemicals available
- Data transmission by SIM card

Transmission of Data




Data on the Web



Real-time Gas Monitoring System	USER LOGIN	
	User ID: Password: Login Back	



Data on the Web



Data on the Web

Monitoring Graphical Realtime Data



Data Management (CO & CO₂)

- SMS and e-mail warnings of exceedance of limits
- Interactions with ventilation control system for necessary corrective actions

Mobile Biometric Authentication System

- RFID contactless card reader
 Radio-frequency fingerprint sensor
- o GPS
- o 3G / WiFi







H<u>uman</u> Skin Structure

live skin layer


surface skin layer (dead cells)

surface deposits (sweat, oil, dirt etc.)

sensor

air


RF Sensing Technology




Privacy Protection

 The enrolled fingerprint is transformed into a biometric template by a proprietary algorithm










2+b=-2

Real-time Security System



Example Uses in Asset Management

- Recording of field samples
 - When? Where? Who? What?
- Chain of custody
- Laboratory testing
- Checking and recording of laboratory results
- Inspection records
- Maintenance records

Ground Subsidence




Ground Subsidence

o April 24, 2007

- Li Yuen Street East, near the junction of the street with Queen's Road Central, Hong Kong
- Sudden collapse
- o 4 m wide, 8 m long and 4 m deep hole
- Five stalls, selling clothes, watches, hosiery and jade; and 4 persons collapsed into the hole


Danger of Underground Voids


 The incident alerts engineers and the general public alike the potential danger of the existence of undetected underground voids




Water-carrying Utilities

- Leakage of water from these watercarrying utilities may create underground voids by soil erosion
- If undetected, these underground voids can increase in size progressively, leading to
 - Maintenance issues
 - Difficulties during installation of new pipes
 - Sudden collapse of ground surface
- Unfortunately, these underground voids would probably be undetected until accidents occur







He lived without compromising, served his chosen profession to the best of his abilities, and died without having anything to regret.



Karl Terzaghi (October 25, 1963)







For a Better Quality of Life

7th CECAR ASCE

Honolulu, Hawaii, 2016













Thank you!