



**Term Contract for Provision of Sampling and Analyzing of Samples
for Various Sewage Treatment Facilities in Urban Area, Lantau and
Outlying Islands to the Drainage Services Department (2023-2026)**

Provision of Routine Marine Water Quality Monitoring Services

Report for the Month of Oct 2023

Contract No. : DE/2022/15

Applicant : SEWAGE TREATMENT DIVISION 2
ELECTRICAL AND MECHANICAL BRANCH
DRAINAGE SERVICES DEPARTMENT

Address : STONECUTTERS ISLAND SEWAGE TREATMENT WORKS,
NGONG SHUNG ROAD, NGONG SHUEN CHAU,
KOWLOON, HONG KONG

Application Number : L0027863(4)

Report Number : A00049170(0)

Report Issued Date : 09 Nov 2023

For and on behalf of
CMA Industrial Development Foundation Limited

Authorized Signature: _____


Lau Yan Kin
Senior Manager
Environmental Division

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in www.cmateesting.org/qac/statement-of-conformity.pdf.
This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmateesting.org.
This document shall not be reproduced except in full without written approval by CMA Testing. The results apply to the sample as received unless otherwise specified. The observations and test results in this report are relevant only to the sample tested. Information on Applicant, Buyer, Importer, Supplier, Manufacturer, Client, Factory, Consignee, Vendor, Distributor, and Sample Description except sampling and delivery information, if applicable, are provided by client unless otherwise specified.

CMA Industrial Development Foundation Limited
Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmateesting.org Web Site: <http://www.cmateesting.org>

TABLE OF CONTENT

1	INTRODUCTION	3
2	MARINE WATER QUALITY MONITORING	4
2.1	Monitoring Requirements	4
2.2	Monitoring Locations	4
2.3	Monitoring Schedule	4
2.4	Monitoring Equipment	4
2.5	Monitoring Parameters and Frequency	5
3	RESULTS AND OBSERVATIONS	7
3.1	Weather and Sea Condition	7
3.2	Marine Water Quality	7

APPENDIX

Appendix I
Appendix II

Location of Monitoring Stations
Report for Laboratory Test(s)

EXECUTIVE SUMMARY

1. This is the water quality monitoring report prepared by CMA Testing for Contract No. DE/2022/15 “Term Contract for Provision of Sampling and Analysing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department”. This report documented the results and findings of Operation Phase Environmental Monitoring works conducted for Routine Marine Water Quality Monitoring (rMWQM) of Project.
2. In accordance with the Final EM&A Manual, environmental monitoring has been conducted in the reporting month with a Quarterly Basis for various parameters as summarized in **Table 1**.

Table 1. Summary Table for Environmental Monitoring Works Conducted in the Reporting Month

Monitoring Parameters	Monitoring Date	Laboratory Testing Parameters
Marine Water Quality	18 Oct 2023	<i>E. coli</i> , Total Residual Chlorine (TRC), Chlorination by-products (CBPs) and Contaminants of Concern (COCs)



Term Contract for Provision of Sampling and Analyzing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2023-2026)

1 INTRODUCTION

- 1.1 CMA Testing was commissioned by Drainage Services Department (DSD) to undertake the operation phase environmental monitoring for Advance Disinfection Facilities (ADF) at Stonecutters Island Sewage Treatment Works (SCISTW) (thereafter called the “the Services”).
- 1.2 The operation phase monitoring, which includes effluent quality monitoring, marine water quality monitoring and emergency discharge monitoring, is to monitor the effluent and marine water quality impact of ADF during its operation phase.
- 1.3 This is the water quality monitoring report prepared by CMA Testing that documented the results and findings of Operation Phase Water Quality Monitoring works conducted for Routine Marine Water Quality Monitoring (rMWQM) of Project.

2 MARINE WATER QUALITY MONITORING

2.1 Monitoring Requirements

2.1.1 Monitoring was taken at three water depths, namely, 1m below water surface, mid-depth and 1m above sea bed, except where the water depth is less than 6m, in which case the mid-depth station may be omitted. If the water depth be less than 3m, only the mid-depth station will be monitored.

2.1.2 Six samples (replicates) at each monitoring stations were collected by collecting the same amount of water sample at each depth.

2.1.3 One grab sample was collected at each water depth for *E. coli* analysis.

2.2 Monitoring Locations

2.2.1 Six monitoring stations were designated for the marine water quality monitoring programme. The locations are summarized in **Table 2.1** and shown on **Appendix I**.

Table 2.1 Proposed Marine Water Quality Monitoring Stations

Station	Description	Coordinates	
		Easting	Northing
1	Edge of Mixing Zone (Northwest of effluent diffuser)	829762.00	819604.47
2	Edge of ZID (Northwest of effluent diffuser)	830117.99	819251.93
3	Edge of ZID (Southeast of effluent diffuser)	830186.21	819184.37
4	Edge of Mixing Zone (Southeast of effluent diffuser)	830525.00	818848.87
SM6	Control Station	826179.81	805902.89
SM12	Control Station	819524.19	808420.40

2.3 Monitoring Schedule

2.3.1 The marine water quality monitoring was conducted coincide with effluent quality monitoring on monitoring date.

2.4 Monitoring Equipment

2.4.1 The equipment used in the marine water quality monitoring in the reporting month is summarized in **Table 2.2**. Copies of calibration certificates are shown in **Appendix II**.

Term Contract for Provision of Sampling and Analyzing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2023-2026)

Table 2.2 Marine Water Quality Monitoring Equipment

Equipment	Model and Make	Qty
Water Sampler	Kahlsico Water Sampler	1
Water Depth Detector	Garmin Striker 4 or equivalent	1
Positioning System	Global Positioning System (GPS)	1
Chlorine Meter	HACH Pocket Colorimeter II or equivalent	1
Turbidimeter	HACH 2100Q or equivalent	1
Multi-parameter Water Quality System	YSI Professional Plus (Pro Plus) or equivalent	1

2.5 Monitoring Parameters and Frequency

2.5.1 Marine Water sampling on *E. coli*, Total Residual Chlorine (TRC), Chlorination By-Products (CBPs) and the Contaminants of Concern (COCs) shall be performed quarterly throughout the contract period.

2.5.2 The list of parameters to be analysed as well as the corresponding analytical methods and lowest reportable value are listed in **Table 2.3**.

Table 2.3 Analytical Methods for Laboratory Analysis for Marine Water Samples

Parameters		Analytical Method	Lowest Reportable Value (µg/L)
TRC and Potential CBPs			
Total Residual Chlorine		APHA 23ed 4500 Cl G	10
Bromoform	Tri-halomethanes (THMs)	USEPA 8260D & In house method TG-ENV-WW-78 & 85 (by Headspace GC/MSD)	0.1
Bromodichloromethane			0.1
Chloroform			0.1
Dibromochloromethane			5
Bromoacetic acid	Haloacetic Acids (HAAs)	In house method TG-ENV-WW-79 (by GC-ECD)	2
Chloroacetic acid			2
Dibromoacetic acid			2
Dichloroacetic acid			2
Trichloroacetic acid			2

Term Contract for Provision of Sampling and Analyzing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2023-2026)

Parameters		Analytical Method	Lowest Reportable Value (µg/L)	
Bacteria				
E. coli		Environmental Monitoring Laboratory Test Method Manual TM09/EC/10/098 Issue 3, Environmental Protection Department, HK.	1 cfu/100mL	
Contaminants of Concern (COCs)				
Methylene chloride	Halogenated Aliphatics	ISO 17943:2016 & In house method TG-ENV-WW-78 & 85 (by Headspace GC/MSD)	20	
Carbon tetrachloride			0.5	
1,1-dichloroethane			0.5	
1,2-dichloroethane			0.5	
1,1-dichloroethylene			0.5	
1,2-dichloropropane			0.5	
Tetrachloroethylene			0.5	
1,1,1-trichloroethane	Halogenated Aliphatics		0.5	
1,1,2-trichloroethane			0.5	
Trichloroethylene			0.5	
2-chlorophenol	Phenols & Haloethers		In house method TG-ENV-WW-80, 84 & 86 (by GC-MSD)	0.5
2,4-dichlorophenol				0.5
p-chloro-m-cresol				0.5
Pentachlorophenol				0.5
2,4,6-trichlorophenol		0.5		
Bis(2-chloroethoxy) methane		0.5		
Chlorobenzene	Chlorinated Hydrocarbons & Organochlorine Pesticides	In house method TG-ENV-WW-78 (by Headspace GC/MSD) & In house method TG-ENV-WW-86 (by GC-MSD)	0.5	
1,4-dichlorobenzene			0.5	
Hexachlorobenzene			0.01	
Hexachlorocyclopentadiene			2.5	
Hexachloroethane			0.5	
1,2,4-trichlorobenzene			0.5	
Alpha-BHC			0.01	
Beta-BHC			0.01	
Gamma-BHC			0.01	

3 RESULTS AND OBSERVATIONS

3.1 Weather and Sea Condition

3.1.1 The weather condition was fine while the sea condition was moderate during the sampling period on the monitoring date

3.2 Marine Water Quality

3.2.1 The in-situ measurement results include dissolved oxygen, turbidity, salinity, pH and temperature of the marine water monitoring. Also, the results of marine water quality monitoring conducted on the monitoring date and QC report are shown in **Appendix II**.




Term Contract for Provision of Sampling and Analyzing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2023-2026)

Appendix I

Location of Monitoring Stations

Term Contract for Provision of Sampling and Analyzing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2023-2026)





Term Contract for Provision of Sampling and Analyzing of Samples for Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2023-2026)

Appendix II

Report for Laboratory Test(s)

TEST REPORT

Report No. : A00049171(0) Date: 09 Nov 2023

Application No. : L0027863(4)

Applicant : SEWAGE TREATMENT DIVISION 2
ELECTRICAL AND MECHANICAL BRANCH
DRAINAGE SERVICES DEPARTMENT

Address : STONECUTTERS ISLAND SEWAGE TREATMENT WORKS,
NGONG SHUNG ROAD, NGONG SHUEN CHAU,
KOWLOON, HONG KONG

Contract No. : DE/2022/15

Project Name : Term Contract for Provision of Sampling and Analyzing of Samples for
Various Sewage Treatment Facilities in Urban Area, Lantau and Outlying
Islands to the Drainage Services Department

Sample Description : Six (6) marine sampling point, Eighteen (18) marine water samples
sampled by the staff of CMA Industrial Development Foundation
Limited.
Samples were refrigerated during delivery.

Sample ID : Refer to Sample ID on page 4 to 10.

Sampling Location :

Station	Description	Coordinates	
		Easting	Northing
1	Edge of Mixing Zone (Northwest of effluent diffuser)	829762.00	819604.47
2	Edge of ZID (Northwest of effluent diffuser)	830117.99	819251.93
3	Edge of ZID (Southeast of effluent diffuser)	830186.21	819184.37
4	Edge of Mixing Zone (Southeast of effluent diffuser)	830525.00	818848.87
SM6	Control Station	826179.81	805902.89
SM12	Control Station	819524.19	808420.40

For and on behalf of
CMA Industrial Development Foundation Limited

Authorized Signature :



Lau Yan Kin
Senior Manager
Environmental Division

Page 1 of 17

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in www.cmateesting.org/qac/statement-of-conformity.pdf.
This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmateesting.org.
This document shall not be reproduced except in full without written approval by CMA Testing. The results apply to the sample as received unless otherwise specified. The observations and test results in this report are relevant only to the sample tested. Information on Applicant, Buyer, Importer, Supplier, Manufacturer, Client, Factory, Consignee, Vendor, Distributor, and Sample Description except sampling and delivery information, if applicable, are provided by client unless otherwise specified.

TEST REPORT

Report No. : A00049171(0) Date: 09 Nov 2023

Application No. : L0027863(4)

Sampling Date : 18 Oct 2023

Date Received : 18 Oct 2023

Test Period : 23 Oct 2023 to 3 Nov 2023

Test Requested :

1. Temperature (on-site measurement)
2. pH (on-site measurement)
3. Salinity (on-site measurement)
4. Dissolved Oxygen (DO) (mg/L) (on-site measurement)
5. Dissolved Oxygen (DOS) (% saturation) (on-site measurement)
6. Turbidity (on-site measurement)
7. Total Residual Chlorine (on-site measurement)
8. *E. coli*
9. Bromoform
10. Bromodichloromethane
11. Chloroform
12. Dibromochloromethane
13. Bromoacetic acid
14. Chloroacetic acid
15. Dibromoacetic acid
16. Dichloroacetic acid
17. Trichloroacetic acid
18. Methylene chloride
19. Carbon tetrachloride
20. 1,1-dichloroethane
21. 1,2-dichloroethane
22. 1,1-dichloroethylene
23. 1,2-dichloropropane
24. Tetrachloroethylene
25. 1,1,1-trichloroethane
26. 1,1,2-trichloroethane
27. Trichloroethylene
28. 2-chlorophenol
29. 2,4-dichlorophenol
30. p-chloro-m-cresol
31. Pentachlorophenol
32. 2,4,6-trichlorophenol
33. Bis(2-chloroethoxy) methane
34. Chlorobenzene
35. 1,4-dichlorobenzene
36. Hexachlorobenzene
37. Hexachlorocyclopentadiene
38. Hexachloroethane
39. 1,2,4-trichlorobenzene
40. Alpha-BHC
41. Beta-BHC
42. Gamma-BHC

TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Test Method : 1-5. In house method (by multimeter)
6. APHA 23ed 2130 B
7. APHA 23ed 4500 Cl G
8. Environmental Monitoring Laboratory Test Method Manual
TM09/EC/10/098 Issue 3, Environmental Protection
Department, HK.
9-12. USEPA 8260B
13-17. In house method TG-ENV-WW-79 (by GC-MSD)
18-27. ISO 17943:2016 & USEPA 8260B
28-33. In house method TG-ENV-WW-80, 84 & 86 (by GC-MSD)
34-42. In house method TG-ENV-WW-78 (by Headspace GC-MSD) &
In house method TG-ENV-WW-86 (by GC-MSD)

Test Result : Refer to results on page 4 to 10.



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	<i>E.coli</i> (CFU/100mL)	Temperature (°C)		Salinity (ppt)		pH		DO (mg/L)		DOS (%)		Turbidity (NTU)		TRC (mg/L)	
1	15:30 -15:35	9.9	1.0	610	26.4	26.4	29.4	29.4	8.6	8.6	6.2	6.2	90.0	90.0	3.3	3.3	0.01	0.01
			4.9	400	26.0	26.0	31.3	31.3	8.6	8.6	5.9	5.9	86.7	86.7	3.6	3.6	0.01	0.01
			8.7	180	25.8	25.8	31.9	31.9	8.6	8.6	5.7	5.7	83.5	83.5	3.0	3.0	0.01	0.01
2	15:38 - 15:43	9.7	1.0	500	26.4	26.4	28.9	28.9	8.6	8.6	6.2	6.2	90.9	90.9	3.2	3.2	0.01	0.01
			4.9	1,400	26.0	26.0	30.1	30.1	8.6	8.6	6.0	6.0	87.8	87.8	3.4	3.4	0.01	0.01
			8.7	200	25.8	25.8	31.8	31.8	8.6	8.6	5.8	5.8	84.9	84.9	3.4	3.4	0.01	0.01
3	15:46-15:51	9.7	1.0	1,800	26.4	26.4	29.6	29.6	8.6	8.6	6.2	6.2	90.3	90.3	3.5	3.5	0.01	0.01
			4.9	1,500	26.0	26.0	30.8	30.8	8.6	8.6	6.0	6.0	87.7	87.7	3.8	3.8	0.01	0.01
			8.8	1,000	25.8	25.8	32.0	32.0	8.7	8.7	5.8	5.8	85.3	85.3	3.6	3.6	0.01	0.01
4	15:54 - 15:59	9.9	1.0	3,000	26.4	26.4	29.0	29.0	8.7	8.7	6.2	6.2	90.5	90.5	3.4	3.4	0.01	0.01
			4.9	1,200	26.0	26.0	30.7	30.7	8.8	8.8	5.9	5.9	86.4	86.4	3.6	3.6	0.01	0.01
			8.7	960	25.8	25.8	32.0	32.0	8.8	8.8	5.8	5.8	85.7	85.7	3.5	3.5	0.01	0.01
SM6	13:58-14:01	15	1.0	130	26.3	26.3	29.4	29.8	8.6	8.6	6.1	6.2	89.2	90.5	3.6	3.5	0.01	0.01
			7.5	880	26.2	26.2	30.3	30.9	8.6	8.6	5.9	6.0	85.6	87.3	3.4	3.4	0.01	0.01
			14.0	340	26.0	26.0	31.1	32.2	8.7	8.7	5.7	5.8	83.8	85.4	3.5	3.4	0.01	0.01
SM12	13:21-13:24	8.8	1.0	840	26.3	26.3	29.9	29.8	8.6	8.6	6.1	6.2	89.2	91.0	3.5	3.7	0.01	0.01
			4.4	480	26.3	26.3	31.0	31.1	8.7	8.7	5.8	6.1	84.8	88.9	3.4	3.4	0.01	0.01
			7.8	340	26.1	26.1	31.8	32.0	8.7	8.7	5.6	6.0	83.1	88.4	3.3	3.3	0.01	0.01
			LRV	1 cfu/100mL	0.1 °C		1 ppt		0.1		0.5 mg/L		-		1 NTU		0.01 mg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Bromoform (µg/L)		Bromodichloromethan (µg/L)		Chloroform (µg/L)		Dibromochloromethan (µg/L)		Bromoacetic acid (µg/L)	
1	15:30 - 15:35	9.9	1.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			4.9	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			8.7	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
2	15:38 - 15:43	9.7	1.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			4.9	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			8.7	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
3	15:46-15:51	9.7	1.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			4.9	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			8.8	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
4	15:54 - 15:59	9.9	1.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			4.9	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			8.7	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
SM6	13:58-14:01	15	1.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			7.5	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			14.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
SM12	13:21-13:24	8.8	1.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			4.4	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			7.8	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 5	< 5	< 2	< 2
			LRV	0.1 µg/L		0.1 µg/L		0.1 µg/L		5 µg/L		2 µg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Chloroacetic acid (µg/L)		Dibromoacetic acid (µg/L)		Dichloroacetic acid (µg/L)		Trichloroacetic acid (µg/L)	
1	15:30 -15:35	9.9	1.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			4.9	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			8.7	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
2	15:38 - 15:43	9.7	1.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			4.9	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			8.7	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
3	15:46-15:51	9.7	1.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			4.9	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			8.8	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4	15:54 - 15:59	9.9	1.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			4.9	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			8.7	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
SM6	13:58-14:01	15	1.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			7.5	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			14.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
SM12	13:21-13:24	8.8	1.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			4.4	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			7.8	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
			LRV	2 µg/L		2 µg/L		2 µg/L		2 µg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Methylene chloride (µg/L)		Carbon tetrachloride (µg/L)		1,1-dichloroethane (µg/L)		1,2-dichloroethane (µg/L)		1,1- dichloroethylene (µg/L)		1,2-dichloropropane (µg/L)	
1	15:30 -15:35	9.9	1.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
2	15:38 - 15:43	9.7	1.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
3	15:46-15:51	9.7	1.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.8	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
4	15:54 - 15:59	9.9	1.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SM6	13:58-14:01	15	1.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			7.5	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			14.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SM12	13:21-13:24	8.8	1.0	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.4	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			7.8	< 20	< 20	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			LRV	20 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Tetrachloroethylene (µg/L)		1,1,1-trichloroethane (µg/L)		1,1,2-trichloroethane (µg/L)		Trichloroethylene (µg/L)		2-chlorophenol (µg/L)		2,4-dichlorophenol (µg/L)	
1	15:30 - 15:35	9.9	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
2	15:38 - 15:43	9.7	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
3	15:46-15:51	9.7	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.8	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
4	15:54 - 15:59	9.9	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SM6	13:58-14:01	15	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			7.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			14.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SM12	13:21-13:24	8.8	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.4	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			7.8	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			LRV	0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	p-chloro-m-cresol (µg/L)		Pentachlorophenol (µg/L)		2,4,6-trichlorophenol (µg/L)		Bis(2-chloroethoxy) methane (µg/L)		Chlorobenzene (µg/L)		1,4-dichlorobenzene (µg/L)	
1	15:30 -15:35	9.9	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
2	15:38 - 15:43	9.7	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
3	15:46-15:51	9.7	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.8	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
4	15:54 - 15:59	9.9	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			8.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SM6	13:58-14:01	15	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			7.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			14.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SM12	13:21-13:24	8.8	1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			4.4	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			7.8	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			LRV	0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L		0.5 µg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Marine Water Quality

Sampling Date 18-Oct-2023

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Hexachlorobenzene (µg/L)		Hexachlorocyclopentadiene (µg/L)		Hexachloroethane (µg/L)		1,2,4-trichlorobenzene (µg/L)		Alpha-BHC (µg/L)		Beta-BHC (µg/L)		Gamma-BHC (µg/L)	
1	15:30 - 15:35	9.9	1.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			4.9	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			8.7	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2	15:38 - 15:43	9.7	1.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			4.9	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			8.7	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
3	15:46-15:51	9.7	1.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			4.9	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			8.8	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4	15:54 - 15:59	9.9	1.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			4.9	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			8.7	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
SM6	13:58-14:01	15	1.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			7.5	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			14.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
SM12	13:21-13:24	8.8	1.0	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			4.4	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			7.8	< 0.01	< 0.01	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
			LRV	0.01 µg/L		2.5 µg/L		0.5 µg/L		0.5 µg/L		0.01 µg/L		0.01 µg/L		0.01 µg/L	



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

QC Report

Parameter	Method Blank	Acceptance Criteria	QC Recovery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
	(mg/L)	(mg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Total Residual Chlorine	<0.01	<0.01	95	85-115	103	85-115	5	≤20
Parameter	Method Blank	Acceptance Criteria	QC Recovery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
	(µg/L)	(µg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Bromoform	<0.02	<0.02	89	80-120	92	70-130	10	≤20
Bromodichloromethane	<0.02	<0.02	91	80-120	97	70-130	13	≤20
Chloroform	<0.02	<0.02	95	80-120	102	70-130	9	≤20
Dibromochloromethane	<1	<1	102	80-120	92	70-130	12	≤20
Bromoacetic acid	<0.4	<0.4	93	80-120	89	70-130	14	≤20
Chloroacetic acid	<0.4	<0.4	100	80-120	94	70-130	11	≤20
Dibromoacetic acid	<0.4	<0.4	104	80-120	99	70-130	15	≤20
Dichloroacetic acid	<0.4	<0.4	97	80-120	90	70-130	11	≤20
Trichloroacetic acid	<0.4	<0.4	101	80-120	96	70-130	13	≤20



TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

QC Report

Parameter	Method Blank (µg/L)	Acceptance Criteria (µg/L)	QC Recovery (%)	Acceptance Criteria (%)	Spike Recovery (%)	Acceptance Criteria (%)	Duplicate (RPD) (%)	Acceptance Criteria (%)
Methylene chloride	<4	<4	105	80-120	111	70-130	16	≤20
Carbon tetrachloride	<0.1	<0.1	87	80-120	92	70-130	14	≤20
1,1-dichloroethane	<0.1	<0.1	92	80-120	99	70-130	12	≤20
1,2-dichloroethane	<0.1	<0.1	90	80-120	85	70-130	14	≤20
1,1-dichloroethylene	<0.1	<0.1	103	80-120	94	70-130	15	≤20
1,2-dichloropropane	<0.1	<0.1	109	80-120	114	70-130	10	≤20
Tetrachloroethylene	<0.1	<0.1	101	80-120	94	70-130	7	≤20
1,1,1-trichloroethane	<0.1	<0.1	110	80-120	116	70-130	10	≤20
1,1,2-trichloroethane	<0.1	<0.1	96	80-120	85	70-130	13	≤20
Trichloroethylene	<0.1	<0.1	102	80-120	110	70-130	9	≤20
2-chlorophenol	<0.1	<0.1	91	80-120	82	70-130	15	≤20
2,4-dichlorophenol	<0.1	<0.1	99	80-120	90	70-130	11	≤20
p-chloro-m-cresol	<0.1	<0.1	94	80-120	88	70-130	10	≤20
Pentachlorophenol	<0.1	<0.1	108	80-120	97	70-130	17	≤20
2,4,6-trichlorophenol	<0.1	<0.1	102	80-120	91	70-130	15	≤20
Bis(2-chloroethoxy) methane	<0.1	<0.1	112	80-120	102	70-130	13	≤20
Chlorobenzene	<0.1	<0.1	97	80-120	83	70-130	12	≤20
1,4-dichlorobenzene	<0.1	<0.1	85	80-120	79	70-130	8	≤20
Hexachlorobenzene	<0.005	<0.005	89	80-120	82	70-130	16	≤20
Hexachlorocyclopentadiene	<0.5	<0.5	91	80-120	85	70-130	10	≤20
Hexachloroethane	<0.1	<0.1	94	80-120	88	70-130	11	≤20
1,2,4-trichlorobenzene	<0.1	<0.1	105	80-120	113	70-130	14	≤20
Alpha-BHC	<0.005	<0.005	110	80-120	119	70-130	12	≤20
Beta-BHC	<0.005	<0.005	101	80-120	94	70-130	9	≤20
Gamma-BHC	<0.005	<0.005	94	80-120	86	70-130	10	≤20

TEST REPORT

Report No. : A00049171(0)

Date: 09 Nov 2023

Application No. : L0027863(4)

Calibration Certificate



Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,
Tsuen Wan, NT, Hong Kong
Tel: +852 25680106 Email: info@callab.com.hk
Fax: +852 30116194 Website: www.callab.com.hk

Calibration Certificate No.: CC0932308

Information provided by customer

Customer: CMA Testing and Certification Laboratories
Address: Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung Street, Fotan, Shatin, NT, Hong Kong

Equipment identification provided by customer


Equipment Description	Manufacturer	Model No.	Serial No.	Assigned equipment No.:
Multiparameter Instrument	YSI	Professional Plus	Meter: 17H105750	N/A

Certificate Information

Date of Receipt:	17 August 2023	Calibration Condition:	18-25°C, <75%RH
Date of Calibration:	21 August 2023	Adjustment:	N/A
Due Date of Calibration:	21 November 2023	Appearance:	Good
Calibration Procedure:	APHA 21e 4500-H B, APHA 21e 4500-O G, APHA 21e 2510 B, JIG 130-2011, APHA 21e 2520 B, APHA 21e 2580 B	Remark:	N/A

Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.
Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.
Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.
Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Approved By:


Sherry Cheung

Company Chop:



Certificate Issue Date: 22 August 2023

CT-BEG-04

- The certificate shall not be reproduced except in full, without written approval of Cal Lab Limited
- The certificate is issued subject to the latest Terms and Conditions, available at our web site

CC0932308
Page 1 of 2

TEST REPORT

Report No. : A00049171(0)
Application No. : L0027863(4)

Date: 09 Nov 2023



Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,
Tsuen Wan, NT, Hong Kong
Tel: +852 25680106 Email: info@callab.com.hk
Fax: +852 30116194 Website: www.callab.com.hk

Result of Calibration

a) Temperature

Reference reading (°C)	Display Reading (°C)	Error of indication (°C)
14.96	14.8	-0.2
24.90	25.1	0.2
35.11	34.8	-0.3

b) Dissolved Oxygen

Reference reading (mg/L)	Display Reading (mg/L)	Error of indication (mg/L)
0.00	0.00	0.00
4.02	3.96	-0.06
8.06	8.03	-0.03

c) Conductivity at 25°C

Reference reading (uS/cm)	Display Reading (uS/cm)	Error of indication (%)
147.4	162.1	10.0
1411	1474	4.5
12846	13833	7.7
111310	106678	-4.2

d) Salinity

Reference reading (ppt)	Display Reading (ppt)	Error of indication (%)
10	9.71	-2.9
20	19.7	-1.5
30	30.25	0.8

Oxidation-Reduction Potential (ORP)

Reference reading (mV)	Display Reading (mV)	Error of indication (mV)
+230	+229	-1

e) pH at 25°C

Reference reading	Display Reading	Error of indication
4.00	4.10	0.09
6.87	6.86	-0.01
9.19	9.27	0.08
10.02	10.06	0.04

*** End of Certificate ***

1. The certificate shall not be reproduced except in full, without written approval of Cal Lab Limited
2. The certificate is issued subject to the latest Terms and Conditions, available at our web site

CC0932308
Page 2 of 2

TEST REPORT

Report No. : A00049171(0)
Application No. : L0027863(4)

Date: 09 Nov 2023



Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,
Tsuen Wan, NT, Hong Kong
Tel: +852 25680106 Email: info@callab.com.hk
Fax: +852 30116194 Website: www.callab.com.hk

Calibration Certificate No.: CC0702309

Customer Information

Customer: CMA Testing and Certification Laboratories
Address: Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung Street, Fotan, Shatin, NT, Hong Kong

Equipment Identification

Equipment Description	Manufacturer	Model No.	Serial No.	Assigned equipment No.:
Portable Turbidimeter	Hach	2100Q	13070C026697	N/A

Certificate Information

Date of Receipt:	19 September 2023	Calibration Condition:	18-25°C, <75%RH
Date of Calibration:	21 September 2023	Adjustment:	N/A
Due Date of Calibration:	21 December 2023	Appearance:	Good
Calibration Procedure:	APHA 21e 2130B	Remark:	N/A

Result of Calibration

Turbidity

Reference reading (NTU)	Display Reading (NTU)	Error of indication (%)
Blank	0.00	0.0
10	10.2	1.5
20	20.7	3.5
100	104.2	4.2
800	806	0.8

Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.
Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.
Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.
Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Approved By:


Sherry Cheung

Company Chop:



Certificate Issue Date: 22 September 2023

CT-BEG-04

*** End of Certificate ***

- The certificate shall not be reproduced except in full, without written approval of Cal Lab Limited
- The certificate is issued subject to the latest Terms and Conditions, available at our web site

CC0702309
Page 1 of 1

TEST REPORT

Report No. : A00049171(0)
Application No. : L0027863(4)

Date: 09 Nov 2023




TEST REPORT

Report No. : A00051782(1) Date : 08 Nov 2023
Application No. : LA031475(9)
Applicant : SEWAGE TREATMENT DIVISION 2
ELECTRICAL AND MECHANICAL BRANCH
DRAINAGE SERVICES DEPARTMENT
Applicant : STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,
NGONG SHUNG ROAD, NGONG SHUEN CHAU,
KOWLOON, HONG KONG
Instrument : HACH Portable Colorimeter (DR300)
Serial No. : 19030A000277
Date Received : 24 Aug 2023.
Test Period : 24 Aug 2023 to 25 Aug 2023.
Date of next checking : 23 Nov 2023
Test Method : APHA 23e 4500Cl-G
Test Result : Refer to the results on page 2.

For and on behalf of
CMA Industrial Development Foundation Limited

Authorized Signature :


Lee Hoi Yung, Benson
Deputy Manager

Page 1 of 2

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in www.cmatesting.org/qac/statement-of-conformity.pdf.
This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatesting.org.
This document shall not be reproduced except in full without written approval by CMA Testing. The results apply to the sample as received unless otherwise specified. The observations and test results in this report are relevant only to the sample tested. Information on Applicant, Buyer, Importer, Supplier, Manufacturer, Client, Factory, Consignee, Vendor, Distributor, and Sample Description except sampling and delivery information, if applicable, are provided by client unless otherwise specified.

CMA Industrial Development Foundation Limited
Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: <http://www.cmatesting.org>

TEST REPORT

Report No. : A00049171(0)
 Application No. : L0027863(4)

Date: 09 Nov 2023



TEST REPORT

Report No. : A00051782(1) Date : 08 Nov 2023
 Application No. : LA031475(9)
 Test Result :

Test Item	Reference reading (mg/L)	Display Reading (mg/L)	Error of indication (%)
Chlorine	1.00	0.98	2

***** End of Report *****

Page 2 of 2

CMA Industrial Development Foundation Limited
 Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
 Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: <http://www.cmatesting.org>

***** End of Report *****

Page 17 of 17