


Application form for reassessment of chemical oxygen demand (COD) values in trade effluent

To: Drainage Services Department (DSD)

Account No.: _____

We, the undersigned, have appointed _____
(**laboratory**[#]) to apply for reassessment of COD values for the account. We understand that the revised COD values are not transferable if there is a change in the registered consumer, and that any change in the appointed laboratory should be approved by DSD before sampling starts.



Chop of R.C.

Registered Consumer (R.C.) : _____

Name of R.C. representative : _____

Post : _____

Signature of R.C. representative : _____

Date : _____

Name of establishment : _____

Address : _____

The Laboratory must be a laboratory accredited within the Hong Kong Laboratory Accreditation Scheme (HOKLAS) for the analyses described in this application.

Statement of Purpose

1. The data you / your appointed laboratory provided is voluntary. If you / your appointed laboratory do not provide sufficient information, DSD may not be able to process your application.
2. The data you / your appointed laboratory provided may be disclosed to other government departments or agencies for law enforcement purposes.
3. You have a right of access and correction with respect to personal data as provided for in Sections 18 and 22 and Principle 6 of Schedule 1 of the Personal Data (Privacy) Ordinance. Your right of access includes the right to obtain a copy of your personal data. A fee maybe imposed for complying with a data access request.
4. Any person who offers any advantage to a public servant due to this application shall be guilty of an offence. If any person solicits or accepts any advantage due to this application, please contact the Independent Commission Against Corruption (Phone no.: 25266366).
5. Any person who, in an application or in an attachment to an application, furnishes or supplies with intent to deceive any false or misleading information commits an offence.
6. DSD can request any further information as and when necessary in processing this application.